

QFQ - Feature #3677

wkhtmltopdf: FE User access prohibited, if client IP changes - \$TYPO3_CONF_VARS[FE][lockIP]

04.05.2017 19:57 - Carsten Rose

Status:	Some day maybe	Start date:	04.05.2017
Priority:	Normal	Due date:	
Assignee:	Carsten Rose	% Done:	0%
Category:		Estimated time:	0.00 hour
Target version:	next4	Spent time:	0.00 hour
Discuss:			
Description			
To forward FE_USER privileges to wkhtmltopdf, it's necessary to switch off the IP check for FE_USER (\$TYPO3_CONF_VARS[FE][lockIP]). This lowers the security level - it would be good not to do that.			
Extension for user specific ` \$TYPO3_CONF_VARS[FE][lockIP] ` https://www.typo3.net/forum/thematik/zeige/thema/61123/			
<ul style="list-style-type: none">• This might help to offer ` \$TYPO3_CONF_VARS[FE][lockIP] ` together with an IP whitelist (=localhost).• The idea is to develop a separate Extension or to integrate that feature in QFQ.• There are already different IP based checks for debugging functions or BE Logging access.			
Some notes:			
<ul style="list-style-type: none">• http://typo3blog.at/blog/artikel/typo3-ausreichend-absichern/• https://docs.typo3.org/typo3cms/SecurityGuide/GuidelinesIntegrators/GlobalTypo3Options/Index.html			

History

#1 - 04.05.2017 19:58 - Carsten Rose

- Description updated

#2 - 04.05.2017 20:01 - Carsten Rose

- Description updated

#3 - 09.09.2017 15:02 - Carsten Rose

- Target version set to next4

#4 - 09.09.2017 21:44 - Carsten Rose

- Tracker changed from Support to Feature

#5 - 11.12.2019 16:02 - Carsten Rose

- Status changed from New to Some day maybe